

Current Season Summary:


February 16 – February 22, 2020
MMWR Week 8

This week, there were 170 emergency department visits for influenza-like illnesses out of 6,635 total emergency departments visits for any cause; there were 90 confirmed hospitalizations for influenza this week bringing the seasonal total to 796[‡]; and, there were 15 pneumonia- or influenza-related deaths out of 263 total deaths* for any cause. There were no new influenza outbreaks noted in Week 8 keeping the total number of outbreaks at 7.


Influenza A is the predominant strain noted this week. Over the course of this season among those with known vaccination status, 58% of those with Influenza A were not vaccinated and 61% of those with Influenza B were not vaccinated. The CDC reports that this vaccine is a good match for the current circulating strain of Influenza A (H1N1 lineage).

Flu Intensity This Week

For the seventh week in a row, flu activity remains *Very High*



Seasonal Flu Intensity



Flu Intensity Indicators	This Week n (%)	Season Total n (%)
Emergency Department Visits for Influenza-Like Illnesses	170 (2.56%)	3,226 (2.39%)
Confirmed Influenza Hospitalizations[‡]	90	796
Pneumonia- & Influenza-Related Deaths*	15 (5.7%)	297 (4.8%)


[‡] Due to the large number of hospitalizations and delays in reporting, methodology was updated in Week 1 to include cases that are still open but confirmed.

*Deaths represent all deaths for Cuyahoga County. All other data presented are City of Cleveland-specific. Data are preliminary and subject to change as more information is gained.

The three indicators for calculating the intensity thresholds are based [on 2017 methodology from the Centers for Disease Control and Prevention](#).

Influenza-Like Illnesses

Figure 1: 2019-2020 Proportion of Emergency Department Visits for Influenza-Like Illnesses



LOW
< 1.88%

MODERATE
1.88% - 1.94%

HIGH
1.94% - 1.99%

VERY HIGH
1.99% <


The proportion of Emergency Room visits for influenza-like illnesses remains elevated beyond what has been observed in 5 years. This week 51% of visits were among males. Regarding race and ethnicity, 45% of visits were Black or African American individuals; 18% were among White or Caucasian individuals; and more than a third (36%) of visits were among other racial groups. Nearly a fourth (23%) of visits were among Hispanic or Latin individuals. The median age this week is 5 years.

Data Source: Health Monitoring Systems: EpiCenter 3.5.18. Data extracted on 2/25/2020.

Low, Moderate, and High intensity thresholds are defined as the 50%, 90%, and 99% Confidence Intervals, respectively, based on the 5-Year Average of previous seasons

Hospitalizations

Figure 2. 2019-2020 Confirmed Influenza-Associated Hospitalizations



LOW
< 22.71

MODERATE
22.71 – 25.05

HIGH
25.05 – 27.29

VERY HIGH
27.29 <

The number of hospitalizations remains above what has been observed over the past 5 years. Influenza A is the predominant strain currently, which was observed among 93% of cases this week. This week, most cases (58%) occurred among Black or African Americans, and 30% were among White or Caucasian populations, which is similar to what has been observed this season. A little more than half (52%) of all hospitalizations were among males this week. The median age of cases this week was 56 years of age.


Data Source: Ohio Department of Health: Ohio Disease Reporting System. Data extracted on 2/13/2019. Data are preliminary and subject to change as more information is gained.

‡ Due to the large number of hospitalizations and delays in reporting, methodology was updated in Week 1 to include cases that are still open but confirmed.

Low, Moderate, and High intensity thresholds are defined as the 50%, 90%, and 99% Confidence Intervals, respectively, based on the 5-Year Average of previous seasons.

Pneumonia- & Influenza-Associated Deaths*

Figure 3. Proportion of Deaths Associated with Pneumonia or Influenza



LOW < 6.02%	MODERATE 6.02% - 6.19%	HIGH 6.19% - 6.34%	VERY HIGH 6.34% <
-----------------------	----------------------------------	------------------------------	-----------------------------

There have been 297 deaths this season due to pneumonia or influenza-related illnesses (P&I). The proportion of P&I deaths is within the *low* threshold this week. This week, the data show the 3 additional influenza specific-related deaths yielding a seasonal total of 23. None of the influenza-related deaths this week occurred within the City of Cleveland. The majority P&I deaths that occurred this season were among individuals aged 45 years and older although the week 1 death was among individuals younger than 45 years. To-date, 13 P&I deaths have occurred among younger age groups.

Data Source: Cleveland Department of Public Health Department of Vital Statistics. Data compiled on 2/25/2020. Data are preliminary and subject to change as more information is gained.

*Deaths represent all deaths for Cuyahoga County. All other data presented are City of Cleveland-specific.

Low, Moderate, and High intensity thresholds are defined as the 50%, 90%, and 99% Confidence Intervals, respectively, based on the 5-Year Average of previous seasons.